Revision: 3_AUS



SAFETY DATA SHEET

Juice Race Wax

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, 2011

SECTION 1: Identification: Product Identifier and Chemical Identity

Product Identifier			
Product name	Juice Race Wax		
Product no.	JPRW473, JPRW378		
Relevant identified uses of th	e substance or mixture and uses advised against		
Application	Car maintenance - detail		
Uses advised against	For professional use only. This product is not recommended for any other industrial, professional or consumer use other than specified above.		
Details of the supplier of the	Safety Data Sheet		
Supplier	Sydney Automotive Paint and Equipment Pty Ltd Unit A3, 366 Edgar Street Condell Park NSW 2200 Australia Tel: +61 2 9772 9000		
	Email: reception@sape.com.au www.juicepolishes.com.au www.sape.com.au		
Manufacturer	Global Body Shop Supplies Unit A4, 366 Edgar Street Condell Park NSW 2200 Australia Tel: +61 2 9772 9099 Email: reception@sape.com.au		
Emergency Information			
Emergency telephone	AU Poison Information Centre 13 11 26		
General medical information	+61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)		
Transport information	+61 2 9772 9000 (Mon to Fri, 08:00-16:00 AEST)		

SECTION 2: Hazard(s) Identification

Classification of the substance or mixture

Physical and health hazards	Classified as hazardous according to the GHS criteria under the Australian Work Health Safety (WHS) Act 2011.		
	Not classified as a dangerous g (ADG) Code, 7.3.	good according to the Au	stralian Dangerous Goods
GHS Classification	Germ cell mutagenicity	Category 1B	
	Carcinogenicity	Category 1B	
Environmental hazards	Hazardous to the aquatic environment, acute Category 3		Category 3

Label elements

GHS hazard symbols



GHS signal word	Danger		
Hazard statements	H227	Combustible liquid.	
	H340	May cause genetic defects.	
	H350	May cause cancer.	
	H402	Harmful to aquatic life.	
Precautionary statements	P201	Obtain special instructions before use.	
	P202	Do not handle until all safety precautions have been read and understood.	
	P273 Avoid release to the environment.		
	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	P308+	P313 If exposed or concerned: Get medical advice/attention.	
	P405	Store locked up.	

Hazards not otherwise classified

None known.

SECTION 3: Composition and Information on Ingredients

The product is a mixture.

Alcohols, C8-22, ethoxylated	GHS Hazardous: Y	0<5%
CAS number 69013-19-0		
Amyl acetate	GHS Hazardous: Y	0<5%
CAS number 628-63-7		
Benzaldehyde	GHS Hazardous: Y	0<5%
CAS number 100-52-7		
Ethyl acetate 99%	GHS Hazardous: Y	0<5%
CAS number 141-78-6		
Methanol	GHS Hazardous: Y	0<5%
CAS number 67-56-1		
Naphtha, petroleum, heavy alkylate	GHS Hazardous: Y	0<5%
CAS number 64741-65-7		
Propylene glycol	GHS Hazardous: N	0<5%
CAS number 57-55-6		
Sodium hydroxide	GHS Hazardous: Y	0<5%
CAS number 1310-73-2		
White mineral oil	GHS Hazardous: N	0<5%
CAS number 8042-47-5		
Other components		90 -100%
Non hazardous/below reportable limits		

SECTION 4: First Aid Measures

Description of first aid measures

General information	If exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Get medical attention if symptoms occur.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

Eye contact Direct contact with eyes may cause temporary irritation.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor Provide general supportive measures and treat symptomatically. Keep victim under observation, symptoms may be delayed.

SECTION 5: Fire Fighting Measures		
Extinguishing media		
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Special hazards arising from the	substance or mixture	
Specific hazards	During fire, gases hazardous to health may be formed.	
Advice for firefighters		
Protective actions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.	
Special protective equipment	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.	
Hazchem	Not applicable	

SECTION 6: Accidental Release Measures

Precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory
	personnel of all environmental releases. Prevent further leakage or spillage if safe
	to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and material for containment and cleaning up

Methods for cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Reference to other sections	
Reference to other sections	For personal protection, see Section 8.

SECTION 7: Handling and Storage

Precautions for safe handling

Usage precautionsObtain special instructions before use. Do not handle until all safety precautions
have been read and understood. Avoid prolonged exposure. Should be handled in
closed systems, if possible. Provide adequate ventilation. Wear appropriate
personal protective equipment. Avoid release to the environment.Occupation hygieneWash promptly if skin becomes contaminated. Take off contaminated clothing and
wash before reuse. Do not eat, drink or smoke when using this product. Wash at
the end of each work shift and before eating, smoking and using the toilet. Change
work clothing daily before leaving workplace.

Conditions for safe storage, including any incompatibilities			
Storage precautions	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of SDS).		
Storage class	Chemical storage.		
Specific end use(s)			
Specific end use	The identified uses for this product are detailed in Section 1.		

SECTION 8: Exposure Controls and Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Amyl Acetate	628-63-7	Short-term exposure limit (STEL): 100 ppm

		Long-term exposure limit (TWA): 50 ppm
Ethyl Acetate 99%	141-78-6	Long-term exposure limit (TWA): 400 ppm
Methanol	67-56-1	Short-term exposure limit (STEL): 250 ppm Long-term exposure limit (TWA): 200 ppm
Sodium Hydroxide	1310-73-2	Ceiling 2 mg/m3
White Mineral Oil	8042-47-5	Long-term exposure limit (TWA): 5 mg/m3 mist
US. NIOSH: Pocket Guide to	Chemical Hazards	
Amyl Acetate	628-63-7	Long-term exposure limit (TWA): 525 mg/cm ³
Ethyl Acetate 99%	141-78-6	Long-term exposure limit (TWA): 1400 mg/cm ³ 100ppm
Methanol	67-56-1	Short-term exposure limit (STEL): 325 mg/cm ³ 250 ppm Long-term exposure limit (TWA): 260 mg/cm ³ 200 ppm
Sodium Hydroxide	1310-73-2	Ceiling 2 mg/m3 100ppm
Naphtha, Petroleum, Heavy	64741-65-7	Long-term exposure limit (TWA): 400 mg/cm ³ 100 ppm
White Mineral Oil	8042-47-5	Short-term exposure limit (STEL): 10 mg/m3 mist Long-term exposure limit (TWA) : 5 mg/m3 mist
Exposure controls		
Engineering controls	Ventilation rates s enclosures, local o airborne levels bel	ntilation (typically 10 air changes per hour) should be used. should be matched to conditions. If applicable, use process exhaust ventilation, or other engineering controls to maintain low recommended exposure limits. If exposure limits have not maintain airborne levels to an acceptable level.
Eye/face protection	assessment indica eye and face pro AS/NZS 1337. The	ng with an approved standard should be worn if a risk ates eye contact is possible. Personal protective equipment for tection should comply with Australia/New Zealand Standard e following protection should be worn: Chemical respirator with ridge and full facepiece.
Hand protection	should be worn if a suitable glove supplier/manufactu of the glove materi Australia/New Zea the glove manufa protective propertion Frequent changes	urer, who can provide information about the breakthrough time fal. To protect hands from chemicals, gloves should comply with land Standard AS/NZS 2161. Considering the data specified by cturer, check during use that the gloves are retaining their es and change them as soon as any deterioration is detected. are recommended.
Other skin and body protection	complying with an	ear and additional protective clothing, such as an apron, n approved standard should be worn if a risk assessment amination is possible.

Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.	
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate inhalation. Large spillages: if ventilation is inadequate, suitable respiratory protection must be worn.	
Environmental exposure control	Keep container tightly sealed when not in use.	

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Liquid.
Colour	White.
Odour	Fruity.
рН	Not available.
Melting point	Not available.
Initial boiling point and range	79°C
Flash point	>98°C (closed cup)
Flammability limit – lower (%)	Not available.
Flammability limit – upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa (estimated)
Vapour density	Not available.
Relative density	0.84 g/cm ³ (estimated)
Solubility Value (g/100g H2O)	Not available.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
% Volatile	90.58% (w/w)

SECTION 10: Stability and Reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of use.

Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Materials to avoid	Strong oxidizing agents.
Hazardous decomposition	No hazardous decomposition products are known.

SECTION 11: Toxicological Information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Benzaldehyde (100-52-7)	Dermal LD ₅₀	Guinea pig Rabbit	> 2000 mg/kg > 1250 mg/kg
		Guinea pig Rat	1000 mg/kg 1300 mg/kg
Ethyl Acetate 99% (141-78-6)	Inhalation LC ₅₀ LD ₅₀	Rat Mouse Rabbit	16000 ppm, 6h 1500 ppm, 4h 2500 ppm, 4h
	Oral LD ₅₀	Rat Mouse Rabbit Rat	4000 ppm, 4h 0.44 g/kg 4.9 g/kg 11.3 ml/kg 5.6 g/kg
Methanol (67-56-1)	Dermal LD_{50} Inhalation LC_{50}	Rabbit Cat Rat	15800 mg/kg 85.41 mg/l, 4.5h 43.68 mg/l, 6h 64000 ppm, 4h
	Oral LD ₅₀	Dog Monkey Mouse Rabbit	87.5 mg/l, 6h 8000 mg/kg 2 g/kg 7300 mg/kg 14.4 g/kg
Naphtha, Petroleum, Heavy (64741-65-7)	Inhalation LC50 Oral LD50	Rat Rat Rat	5628 mg/kg 61 mg/l, 4 Hours > 25 ml/kg
Propylene Glycol (57-55-6)	Oral LD ₅₀	Dog Guinea pig Mouse Rabbit Rat	19 g/kg 18.4 g/kg 23.9 g/kg 18 g/kg 30 g/kg

Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	May cause genetic defects.	
Carcinogenicity	May cause cancer.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects	
Specific target organ toxicity - single	e exposure Not classified.	
Specific target organ toxicity - repea	ted exposure Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	

SECTION 12: Ecological Information

Ecotoxicity	Harmful to aquatic life.	
Components		
Amyl Acetate (628-63- Aquatic	-7)	
Fish LC ₅₀	Western mosquitofish (Gambusia affinis)	65 mg/l, 96h
Benzaldehyde (100-52 Aquatic	2-7)	
Fish LC ₅₀	Bluegill (Lepomis macrochirus)	0.8 - 1.44 mg/l, 96h
Ethyl Acetate 99% (14 Aquatic	1-78-6)	
Fish LC ₅₀	Indian catfish (Heteropneustes fossilis)	200.32 - 225.42 mg/l, 96h
Glycerine (56-81-5) Aquatic		
Fish LC ₅₀	Rainbow trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96h
Methanol (CAS 67-56- Aquatic	1)	
Crustacea EC ₅₀ Fish LC50	Water flea (Daphnia magna) Fathead minnow (Pimephales promelas)	> 10000 mg/l, 48h > 100 mg/l, 96 hours
	Heavy Alkylate (64741-65-7)	<u> </u>
Aquatic		
Crustacea EC₅₀ Fish LC₅₀	Water flea (Daphnia pulex) Rainbow trout (Oncorhynchus mykiss)	2.7 - 5.1 mg/l, 48 hours 8.8 mg/l, 96h
Propylene Glycol (57-	55-6)	
Aquatic Crustacea EC ₅₀	Water flea (Daphnia magna)	> 10000 mg/l, 48h
Fish LC ₅₀	Fathead minnow (Pimephales promelas)	710 mg/l, 96h
	0/12	

Sodium Hydroxide (1)	310-73-2)			
Aquatic Crustacea EC ₅₀ Fish LC ₅₀	•	riodaphnia dubia) uitofish (Gambusia affin	is)	34.59 - 47.13 mg/l, 48h 125 mg/l, 96h
Persistence and degr	adability	No data is available o	n the degradability of this	product.
Bioaccumulative pote	ential			
Partition coefficient n	-octanol/water	(log Kow)		
		Amyl Acetate	2.3	
		Benzaldehyde	1.48	
		Ethyl Acetate 99%	0.73	
		Glycerine	-1.76	
		Methanol	-0.77	
		Propylene Glycol	-0.92	
Mobility in soil		No data available.		
Other adverse effects	5		tial, endocrine disruption,	zone depletion, photochemical global warming potential) are

SECTION 13: Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/ regional/ national/ international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residue/unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport Information

General	The product is not covered by international regulations on the transport of dangerous goods (ADG, IMDG, IATA, ADR/RID).
UN number	Not applicable.

UN proper shipping name	Not applicable.	
Transport hazard class(es)	No transport warning sign required.	
Packing group	Not applicable.	
Hazchem	Not applicable.	
Environmentally hazardous substance/marine pollutant No		
Special precautions for user	Not applicable.	
Transport in bulk according to An	nex II of MARPOL 73/78 and the IBC Code	Not applicable.

SECTION 15: Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture	
Schedule (SUSMP)	No Poison Schedule number allocated.
<u>Inventories</u> Australia – AIIC	All the ingredients are listed or exempt.

SECTION 16: Any Other Relevant Information

General information	This product has been manufactured under ISO 9001 and ISO 14001 Quality and Environmental Management Systems. Only trained personnel should use this material.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Sydney Automotive Paints and Equipment
	Unit A3, 366 Edgar Street, Condell Park
	NSW, 2200, Australia
	www.sape.com.au
	reception@sape.com.au
	Tel +61 2 9772 9000
Revision date	01/06/2023
Revision	3_AUS

Supersedes date

02/12/2017

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.