Revision: 21.05.2013 Printing date 21.05.2013

1 Identification of substance:

- · Product details:
- · Trade name: CAM FLAT MATT PASTE
- · Application of the substance / the preparation Flatting agent, Matting agent
- · Manufacturer/Supplier:

Sydney Auto Paints & Equipment PTY

Unit A3, 366 Edgar Street

Condell Park

NSW 2200

Australia

· Further information obtainable from:

Tel: 0061 2 9772 9000 Fax: 0061 2 9772 9001 enquiries@sape.com.au

· Information in case of emergency:

Tel: 0061 2 9772 9000 Fax: 0061 2 9772 9001

2 Hazards identification

· Hazard symbol



Xi Irritant

· Information concerning to particular hazards to man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

May cause sensitisation by skin contact.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification system

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 5989-27-5

EINECS: 227-813-5

(R)-p-mentha-1,8-diene

Xi, Xi, N; R 10-38-43-50/53

0 -2.5%

• Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing If symptoms persist consult doctor.

Printing date 21.05.2013 Revision: 21.05.2013

Trade name: CAM FLAT MATT PASTE

(Contd. of page 1)

5 Fire fighting measures

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures(Spillage)

- · Person-related safety precautions: Not required.
- · Measures for environmental protection:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers /surface or ground water drains.

· Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

7 Handling and storage

- · Handling
- · Information for safe handling: Risk of serious damage to eyes.
- · Information about fire and explosion protection: No special measures required.
- Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

8 Exposure controls and personal protection gear

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands: Protective gloves.
- · Material of gloves Natural rubber, NR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties:

· General Information

Form: Pasty
Colour: Light grey

(Contd. on page 3)

Printing date 21.05.2013 Revision: 21.05.2013

Trade name: CAM FLAT MATT PASTE

		(Contd. of page
Odour:	Fruit-like	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:		
· Flash point:	Not applicable	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Vapour pressure at 20°C:	23.0 hPa	
Density at 20°C:	1.400 g/cm³	
· Solubility in / Miscibility with Water:	Fully miscible	
· pH-value at 20°C:	7.0	
Viscosity: dynamic at 20°C:	85000 mPas	

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known
- · Dangerous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

· Sensitisation May cause sensitisation by skin contact.

12 Ecological information:

- · Ecotoxical effects:
- · Remark: Harmful to fish
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

GB

Printing date 21.05.2013 Revision: 21.05.2013

Trade name: CAM FLAT MATT PASTE

(Contd. of page 3)

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

15 Regulations

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Code letter and hazard designation of product:

Xi Irritant

· Hazard - determining components of labelling

(R)-p-mentha-1,8-diene

- · Risk phrases:
- 43 May cause sensitisation by skin contact.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Safety phrases:
- 24 Avoid contact with skin.
- 37 Wear suitable gloves.
- 61 Avoid release to the environment. Refer to special instructions/safety data sheets.
- · Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- · National regulations
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant R-phrases
- 10 Flammable.
- 38 Irritating to skin.
- 43 May cause sensitisation by skin contact.

(Contd. on page 5)

Printing date 21.05.2013 Revision: 21.05.2013

Trade name: CAM FLAT MATT PASTE

(Contd. of page 4)

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- · Department issuing MSDS: Technical Department.
- · Contact: Mr. S. Appleby

GB ·